

160

Ch.

12

68 South 8<sup>th</sup>.

A Dissertation on

Fever.

By

Amos Ward,  
of

Georgia

Printed March 30<sup>th</sup>

1827

W. E. H.

of  
for an  
perfectly  
of, though  
disturbance.

it to be a  
employed  
medical  
to have  
circles, he  
produced a  
of disease  
glance an  
cannot be

obvious  
of a  
of a  
the disease

The following observations on the identity of fever and the treatment of its various forms are respectfully submitted to the Faculty of the University of Pennsylvania, in obedience to the laws of that Institution. —

I have chosen this subject, knowing it to be a difficult question, and one which has employed much of the learning and talent of the Medical Profession, even from the times of Hippocrates; nor have we yet succeeded in pointing out the causes, locality, & treatment of different phenomena produced by febrile agents and exhibited in the course of disease. — So long as there is a discrepancy of opinion among authors, with regard to any subject, all cannot be right.

If there men, who are endowed with superior mental ability & who have had the advantage of a well regulated course of instruction, who have enjoyed every opportunity for the cultivation of the science of Medicine, connected with the most extensive Hospitals,

the world  
the future  
law; if  
human

branch  
with 14  
the last  
a white  
light on

I should  
 myself  
 I would  
 that I  
 with all  
 a sufficient  
 not alter  
 in long fr



Informants and Armies, and in the most sickly parts of the world, disagree as to the nature and origin, and locality of the febrile agent, the different laws which modify its action; if men endowed with the noblest faculties of human nature, who have shed a light on every other branch of the sciences, yet have not been able, with their united genius, & applications, to illustrate this subject, it may appear vain in me to attempt a solution of the difficulty, or to throw an additional light on this obscure point in Medical Science.

Without indulging such a hope, I have chosen this subject, more with a view of making myself more thoroughly acquainted with it than I would otherwise become. I am fully convinced that I cannot make myself too fully acquainted with all that relates to it, and this, it is hoped will be a sufficient excuse, (if any be necessary) for my present attempt to grasp at things beyond my reach.

The successive hypotheses prevailing through a long period of Medical history, have been numerous;

and they  
and vice  
generally  
beneficial  
frances;  
meridian  
leaves of  
principles  
habitually  
dispos  
tion. —  
now to  
of ances  
stances &  
distinct  
we can  
to this  
Kane  
of person

and they present to us fanciful notions, more crude and visionary than the opinions of the ancients generally with regard to other subjects.


They lived at a period called, by them, the scientific age, but by us the morn or dawn of science; and we imagine we have arrived at the meridian splendour of science, but may not the lapse of a few centuries expose the fallacy of principles now deemed incontrovertible? There is a possibility of this; let us not, therefore, censure our predecessors too severely, but we be censured in our turn. — The agent producing febrile affections is now thought to be produced by a decomposition of animal & vegetable matter, from the circumstances of fevers being more prevalent in those districts where animal and vegetable matter are undergoing a decomposition: we attribute it to this cause; but of its existence we have no knowledge, with the exception of the effects which it produces. As to its constituent or elementary principles

was in  
that a  
by some  
house, he  
as take  
was clear  
- number  
easier f  
i b  
what st  
often see  
proceeding  
that the  
don't see  
any thing  
in the fire  
a cotton  
have been  
We d  
not all

we are ignorant, and what we take for granted is, that a noxious ethereal fluid is generated. It is said by some, miasmata may be generated from a variety of sources, but this I am not willing to admit, for if we take into consideration that the constituent and elementary principles of the earth are few in number, we shall find that there are but few resources for the origin of this peculiar compound.


Miasma is a generic term meaning a generated ethereal fluid, which, when applied to the system, under peculiar conditions, is capable of producing febrile affections. - By some it is thought that stagnant water produces Miasma; but we know that water is indestructible and cannot be any thing more or less than an agent, or medium, in the production of Miasma. It is necessary that a certain degree of moisture and heat exist at the same time for the production of this noxious vapour. -

We know that it is well ascertained that most, if not all, kinds of vegetable matter, when deprived



of thin water by baking, or by any other process & kept perfectly dry, will remain undecomposed for an indefinite time. — There are other cases in which organic matter is much more susceptible of decomposition & in which moisture & a common degree of temperature are sufficient to resolve them into their constituent principles, or to change the order of these compounds & produce new compounds.

It must be evident to every one that the evaporation of pure water cannot prove noxious to a healthy system, as is proved by the evaporation which takes place during winter, at this season there is little or no animal or vegetable matter undergoing decomposition, as the heat at this time is not capable of exerting decomposing influence. — The atmosphere at this time is loaded with aqueous vapour. Evaporation takes place from the large lakes and from the surface of the ocean & no fever is engendered by inhaling the atmosphere at such a distance from the shore that the sea and land air cannot be mingled. — It is also pretty evident that the decomposition of vegetable matter





alone, is not always a source of fever. — Let us for a moment consider the immense quantity of luxuriant foliage annually clothing the forest, which at the approach of autumn leaves its verdure and undergoes decomposition, which alone would produce fevers all over the world, were it capable of so doing without the aid of the large quantity of other vegetable matter which, under the most favourable circumstances, combined with a sufficiency of moisture & aided by a scorching sun, as we see in the farm yards, without being able to excite fevers. If vegetable decomposition alone could produce this effect, we would necessarily have fevers in their most malignant forms in every forest and every farm at the approach of summer. We know that no people are more exempt from febrile affections than our forestal inhabitants, remote from situations where agriculture is extensively practised. —

It is also very conclusive that the decomposition of animal matter is incapable of generating this noxious agent, & as a demonstrative proof of this we may cite the experiments (conducted under the direction of

Leaves

1. The sea

And Love.

with her

20-11-18

in the

in with

sholat

*[Faint handwritten notes at the bottom of the page]*

people at

7

1947-1948

to Luther.

... of

Accession

see also

had not

11

7

7  
Theravot) of the public burial ground, situated in one of the most frequented & populous parts of Paris, which had been one of the deposits of dead bodies, until the earth had become elevated six or eight feet above the common level and literally the dead were buried in the dead. The ground became so much frequented with putrefying human remains, that the exhalations from the ground became the source of public nuisance and excited in the minds of the people disgust & indignation. — The police taking advantage of this public feeling determined on the removal of this superstratum of human deposit.


At the commencement, which took place in the latter part of Autumn & was continued during the winter & early part of Spring, the greatest caution was observed, but no accident took place, altho the labourers were almost stifled when breaking in upon a corpse, which had not undergone perfect decomposition, by the gas arising in a concentrated state. And in the latter part no regard was paid to the season of the year, or any particular

and  
may  
the  
Kittles  
that the  
at the  
"and"  
Hans  
of the  
that the  
a couple  
the y  
better  
Kittles  
that of  
Kittles  
Kittles  
Kittles  
from

caution observed & no fever was known to take place  
in any of the labourers engaged in that enterprise.

As a further evidence I cite the report made by  
Berthe, Professor at Montpellier, & two of his colleagues at  
that University, who were sent by the convention of France  
into Spain, to examine & report the nature of the Yellow  
Fever which had proved so fatal in several parts of  
Spain in 1800. — Being at Seville a few months  
after the epidemic had ceased: he states, in his report,  
that the burial ground in which the victims were placed  
is composed principally of clay, & the season being warm  
the ground cracked into wide, deep crevices through which  
fatal exhalations took place, in consequence of the  
decomposition which was going on in the mass of dead bodies.

Notwithstanding the large concourse of people  
that daily visited these burial grounds, some to  
gratify idle curiosity & others to testify their regard for  
departed friends. And after repeated examinations of the  
guards & grave-diggers stationed at these places, and  
from other sources, equally claiming our confidence, not a



case of fever was known to take place in consequence of breathing this atmosphere supercharged with exhalations of human decomposition. —

It strikes conclusions to my mind that the chemical constituents of this terrestrial globe are so strongly combined as not to be acted upon by the combined influences of a vertical sun & moisture without producing a substance evident to our senses: and the chemist cannot detect it with all his resources.

It is true that the chemistry has never yet demonstrated the existence of Miasma, but it does not hence follow that such a principle does not exist. —

The hypothesis of its originating from subterranean combustion, or from the appearance of Comets is altogether unfounded in any demonstrable facts with which we are acquainted. — We refer us always known immediately to precede or succeed the exhibition of these subterranean phenomena, or the approach of Comets; there would be some plausibility in the hypothesis; but we know that this is not the case. We have

1. *Chamaea*  
 2. *Chamaea*  
 3. *Chamaea*  
 4. *Chamaea*  
 5. *Chamaea*  
 6. *Chamaea*  
 7. *Chamaea*  
 8. *Chamaea*  
 9. *Chamaea*  
 10. *Chamaea*  
 11. *Chamaea*  
 12. *Chamaea*  
 13. *Chamaea*  
 14. *Chamaea*  
 15. *Chamaea*  
 16. *Chamaea*  
 17. *Chamaea*  
 18. *Chamaea*  
 19. *Chamaea*  
 20. *Chamaea*  
 21. *Chamaea*  
 22. *Chamaea*  
 23. *Chamaea*  
 24. *Chamaea*  
 25. *Chamaea*  
 26. *Chamaea*  
 27. *Chamaea*  
 28. *Chamaea*  
 29. *Chamaea*  
 30. *Chamaea*  
 31. *Chamaea*  
 32. *Chamaea*  
 33. *Chamaea*  
 34. *Chamaea*  
 35. *Chamaea*  
 36. *Chamaea*  
 37. *Chamaea*  
 38. *Chamaea*  
 39. *Chamaea*  
 40. *Chamaea*  
 41. *Chamaea*  
 42. *Chamaea*  
 43. *Chamaea*  
 44. *Chamaea*  
 45. *Chamaea*  
 46. *Chamaea*  
 47. *Chamaea*  
 48. *Chamaea*  
 49. *Chamaea*  
 50. *Chamaea*  
 51. *Chamaea*  
 52. *Chamaea*  
 53. *Chamaea*  
 54. *Chamaea*  
 55. *Chamaea*  
 56. *Chamaea*  
 57. *Chamaea*  
 58. *Chamaea*  
 59. *Chamaea*  
 60. *Chamaea*  
 61. *Chamaea*  
 62. *Chamaea*  
 63. *Chamaea*  
 64. *Chamaea*  
 65. *Chamaea*  
 66. *Chamaea*  
 67. *Chamaea*  
 68. *Chamaea*  
 69. *Chamaea*  
 70. *Chamaea*  
 71. *Chamaea*  
 72. *Chamaea*  
 73. *Chamaea*  
 74. *Chamaea*  
 75. *Chamaea*  
 76. *Chamaea*  
 77. *Chamaea*  
 78. *Chamaea*  
 79. *Chamaea*  
 80. *Chamaea*  
 81. *Chamaea*  
 82. *Chamaea*  
 83. *Chamaea*  
 84. *Chamaea*  
 85. *Chamaea*  
 86. *Chamaea*  
 87. *Chamaea*  
 88. *Chamaea*  
 89. *Chamaea*  
 90. *Chamaea*  
 91. *Chamaea*  
 92. *Chamaea*  
 93. *Chamaea*  
 94. *Chamaea*  
 95. *Chamaea*  
 96. *Chamaea*  
 97. *Chamaea*  
 98. *Chamaea*  
 99. *Chamaea*  
 100. *Chamaea*

distinct,  
the whole  
of the  
of the

so far as  
the comp  
business,  
that the  
diamonds  
abundance  
diamonds &  
pairs of  
each at



fevers when there are no volcanoes or earthquakes or Comets & when these phenomena are present we have no fevers & further they do not exert any influence over, or aggravate the type of fever, or any epidemics prevailing at the time of their appearance.

These subterranean combustions capable of exciting fevers we should have them in Volcanic districts, in every variety & stage of aggravation harrying the inhabitants until death released the victims. But we do not find this to be the case.

The composition of our planet and its products so far as we know, consists of but a very few principles. But the composition of these simples to form a compound produces powerful & astonishing effects and it does appear that the compound produced by the union of these simples owes its peculiarity as to its noxiousness or salutiousness in a direct ratio to the purity & quantity of the simples composing the compound. And by the union of these simples in different proportions with each other we have all the different forms and

variety of  
 objects  
 animals  
 plants  
 some of  
 + animals  
 birds &  
 of bones  
 signs  
 of the  
 which  
 among  
 the  
 equally  
 means  
 the  
 than  
 tasks

variety of matter known to our senses, and all this difference of variety & form in the property of matter depends on an union of <sup>sufficient</sup> simple & quantity to form compounds.

The question now arises, from whence does this peculiar agent take its origin? We have attempted to prove that it cannot be produced from the vegetable or animal Kingdoms, or from the cooperation of pure water & the earth's component principles, the appearance of Comets, subterranean combustion &c. It must originate then in consequence of the combined influence of the decomposition of animal and vegetable matter mixed by a sufficient quantity of moisture &c.

At length, after much labour and patient investigation, we have obtained this peculiar agent in the excretion of fevers. But we have now a task equally difficult in carrying it through the different avenues & locating it in the system & making it produce all the different forms of fever & phenomena attending them & when we have done this we may consider our task done. — All, I believe, agree in our particular

ready, or  
kind of  
to fall, or

or same

after, or

known

the people

to know

to be per

and so be

to be in

to be and

water pro

to be do

with, or

to be in

to be

to be

to be

to be

namely, that it is necessary for its application to some part of the system in order that it shall produce its full effects.

Experiments prove that there are but two ~~main~~ avenues through which this agent can enter the system, viz: the mouth and nose, from thence to the lungs or becomes entangled with the saliva, whilst entangled in the passage & conveyed through the oesophagus to the stomach. Here I will take the liberty of reprehending the vile practice of taking snuff & plucking out the hairs which grow in the cavity of the nose. This hair acts an important part in the preservation of our health. They act the part of sentinels in preventing foreign matter from entering the lungs. If plucked out they fail to do this office, & if the owner of the nose is guilty of the vile practice of taking snuff, they become matted & perform their functions imperfectly.

We know that the sympathy existing between the lungs and stomach, & in fact all the system

is nothing  
to the other  
engendered  
diff in p  
When  
He returns  
friends &  
the patient  
fully he  
is a ~~man~~  
April to  
remained  
the recap  
functions  
to the cov  
Stomach,  
aliments  
in the pro  
restations

is nothing in comparison to that which exists with regard to the stomach & alimentary tube. We know that a derangement of this canal affects the system more or less in proportion to the extent & duration of derangement.

Whereas, the lungs may be affected to a considerable extent & even the larger portions may be a mass of disease & still the health be but little affected; the patient's appetite & digestive organs are in a pretty healthy condition & perform their functions in a ~~very~~ natural manner; retaining his appetite & spirits to the last. It is true, he becomes pale, feeble & emaciated in the course of time, in consequence of the incapacity of the lungs in performing their functions. From this course of reasoning, we come to the conclusion, that it must be applied to the stomach, & from thence extending through the alimentary canal affecting the organs engaged in the process of assimilation & chylofication.

We now have this peculiar agent in the excitation of fumes located in the stomach and

advent  
it from  
of a thin  
in the day  
affair for

of the p  
below the  
two times

Collegium  
between 2

with most  
they were  
for ever

make the  
himself a  
and that

have a  
and for  
up again



alimentary tube. A question now arises with regard to its particular action on these organs. Does it act the part of a stimulus or that of a sedative in its first impression on the system? We are of the latter opinion from the effects first produced & much evident to our senses.

We, in most instances, after the application of this agent in the excitations of fever, a sensation below the mean temperature of a healthy system, some times more & some times less, with languor, listlessness of the mental & bodily energies, an indisposition to think or stir from the recumbent posture, with more or less drowsiness, sometimes a disposition to sleep prevails, but is prevented by the predominance of a morbid irritability, which harries the patient & makes him wish for sleep, after which he promises himself a speedy recovery from his unpleasant sensations. But after a short repose, in unrefreshing sleep, he awakes with more or less anxiety & confusion of mind, his tongue & fauces are dry, thirst more or less urgent, which he attempts to allay by talking

long 4-5  
houses on  
the face  
longways  
found to  
related to  
ship and  
the  
benefits  
stability &  
the ground  
diminute  
to appear  
weather  
being, the  
From  
division of  
suffer in  
intensity &  
a greater

large & repeated draughts of cold water. - Respiration becomes more or less hurried with some difficulty in breathing. The face is flushed, the eyes of a red-dish muddy hue, the lacrimal gland is stimulated to increased action, as is proved by an increased flow of tears. The heart is stimulated to increased action. The arteries throbb with more or less violence in proportion to the action of the heart.

The pulse is full & strong, bounding or chorded & is in proportion to the extent of local irritation, the vitality & sensibility of the part & the distance from the grand centre of the sympathy, the stomach and alimentary canal, the healthy condition of which & its appendages are of more importance to the healthy condition of the system than any other organ; the brain, heart & lungs, not excepted.

From this course of reasoning I am brought to the conclusion that all fevers originate from the same source & differ in <sup>other</sup> respect from each other, than the intensity & location & further I shew that nine tenths are gastro-intestinal affections & affections of the organs below.

during his  
 residence  
 lot of aff-  
 able,  
 of the org-  
 affection-  
 we acquir-  
 original o-  
 to a  
 relations  
 business,  
 he was be-  
 applied.  
 the chap-  
 ion of man-  
 ing. Con-  
 appeared  
 a house  
 of profan-  
 the

sidian to the stomach & alimentary tube. And what constitutes the varieties of fevers is the location and intensity of affection & the different phenomena observed in febrile affections in owing to the intensity of the affection of the organ affected & the sensibility of the seat of affection. We know that the indications of all fevers are nearly the same, and the similarity of their remedial agents go to establish this position.

In all fevers we have more or less nervous irritations in proportion to the concentration of the miasma, the time during which it is applied and the nature & extent of the surface to which it is applied. I have observed that it was my belief that the first impression on a system after the application of miasma, was that of diminished action in the part. Congestion takes place in the part in consequence of exhaustion in the vessels of the part, and we have congestion & inflammation in the stomach in proportion to the extent of surface affected.

We have no evidence that all fevers are not

the same  
parts and  
Billows of  
proceeds at  
when in the  
affairs of  
two of off  
nature,  
you will  
nearly &

has first  
to follow

education  
has in the


you had  
the effects  
has a f

17  
the same. We have no evidence that the agents which  
excite intermittent or remittent, or that which excite  
Bilious or Mellow fevers. — The fact is that one agent  
produces all the variety of fevers, the location intensity of  
action in the part, extent of surface affected, the organ  
affected, & the condition of the nervous system at the  
time of affection. If the nervous system is in a diseased  
condition, or disposed to take a diseased action, we shall  
have nervous irritation in a direct proportion to the  
quantity of diseased action existing in the nervous system.

We shall next enquire what disease is, and we  
shall find it to be an altered action in the part.

We are sensible of but two actions per acting  
the system, that of healthy and diseased, and every  
graduation from the healthy action constitutes a gradua-  
tion in the quantity of disease, (if I may so express myself)

We will here ask the question, what is fever?  
& we shall find that it is nothing more or less than  
the effects produced by altered action in some par-  
ticular parts of the system. And their effects will be





in a direct proportion to the extent and intensity of diseased action, the sensibility of the part or organ affected and the number of organs or parts implicated in the disease.

During the latter part of spring, summer and the commencement of autumn, we have continued Billious fevers. During this period of time the miasma is generated in more abundance & consequently becomes more concentrated & capable of exciting more intense inflammations in the system.

Since the diseases are distinguished from each other by the part affected, & the intensity of the affection.


In continued fevers the stomach is the seat of disease, in Yellow fever the stomach & duodenum is the seat of affection, differing in no other respect from continued fever than in intensity & extent of diseased action, & in Billious fever the liver appears to be more immediately the seat of diseased action. During the latter part of autumn, winter & the early part of spring, we have Intermittents, remittents and Typhoid fevers.

This artificial division will not always hold

good, for  
the little  
spring, &  
but this  
is a little  
quantity  
of wood & co  
the people  
the door  
to be a  
of big or  
with con  
the man  
stick of  
some all  
this day  
They have  
given, he  
may be

good, for in many instances we have Intermittent, Remittent fevers prevailing during the latter part of Spring, Summer & the commencement of autumn, but this variation can be accounted for satisfactorily by admitting that the miasma is not generated in a quantity sufficient to produce the higher grades of fever & we have no hesitation in admitting this fact.

It may not here be amiss to take a survey of the people inhabiting the northern regions of Europe. Who, during a period of five, six or eight months retire to winter quarters, which consist of yarts sunk to the depth of six or ten feet below the surface of the earth, <sup>and</sup> thatched with coars. Their apartments are small & each contains the members of five or six families together with their stock of provisions which consists of dried fish in various stages of putrefaction. No air is permitted to enter their dwelling, except through a small hole in the top. They have no fire to dress their food or keep themselves warm, but the necessary warmth is kept up by pulmonary & cutaneous exhalation, a small lamp illuminates



their habitation & here they eat, sleep & obey all the demands of nature, without the least restraint as to decency & what is astonishing, they enjoy good health & never complain of noxious atmosphere which they are constantly inhaling, notwithstanding they are exempt from contagious & typhus fevers. In accordance with the general belief, they should have typhus every winter. It does appear from the symptoms of typhus fever that it is produced by a different agent, but we cannot subscribe to this belief, as the same indications in the mode of treatment are observed.

I cannot help subscribing, in some degree, to the Reemorian doctrine & all our remedial agents in the treatment of febrile affections go to prove that doctrine which he so ably inculcates.

We have but one object in view in the treatment of all febrile affections, that is to restore healthy action to the part affected and good government in the system.

As the arterial system is deranged in a direct ratio to the quantity of diseased action & the nervous irritation is in a direct ratio to the extent & intensity of diseased

action in the  
 affected;  
 & he goes  
 affection  
 the differ  
 and the  
 The  
 of govern  
 These  
 sense of  
 as being  
 in the st  
 words of  
 he  
 and he  
 looks to  
 find any  
 them to  
 to find  
 The


action in the part or organ affected & the sensibility of the part affected; in the treatment of all febrile affections we are to be governed by the quantity and intensity of disease: these affections are only the effects produced by diseased action & the different symptoms & phenomena observed to point out the seat of diseased action.

The most conspicuous agent in restoring arterial action & government in the system is the Lencet & cold affusions.

These, as asserted by some, are only to be used at the acme of the hot stage, but I am of opinion that they are serviceable at any period of the hot stage, so long as the skin is hot & dry & after this period I am not an advocate for this employment.

In all cases, in the application of leeches due regard must be paid to the existing symptoms - kept in order one leech, they gain their superiority over the scarificator in point of convenience in application. We can apply them to any part of the system & in any number, and to parts where the scarificator could not be used.

The scarificator & cupping glass come next in order





and in some particulars enjoy an advantage over the latter in being applied nearer to the seat of the disease & by this means we are enabled to take blood from the diseased part, at a time when the strength of the system could not bear venesection, & leeches enjoy an advantage over latter in this respect. Next in order, in the treatment of febrile affections, are the saline purgatives effervescent and demulcent draughts. If the stomach is much deranged & will justify an emetic a mild one may be given, but if the state of the stomach & the brain does not justify the employment of an emetic it never fails to prove a source of aggravation & the degree of aggravation is in proportion to the extent of derangement of the brain & stomach and the mild or drastic action of the medicine employed.

Enemata are of the greatest importance in producing alvine evacuations, when the stomach will not permit the introduction of cathartics. Stimulating enemata may act by revulsively establishing inflammation which acts by inviting to the part increased arterial & nervous action, and by this means the disease in the original part

in business  
last of

and pro  
and the  
the rice  
Humble

My

pasture  
established

my at the  
They also

are for  
factual

We are  
case, by

in like

intended  
be your

25  
is diminished & action & government are restored in the parts affected.

We have a diseased action generated in the part produced by continued stimulating irritation but the part affected is not disposed to continue the diseased action & as soon as we cease to apply stimuli the parts regain their healthy state.

Mercurial purgatives are of the greatest importance & are not to be neglected, they serve to establish functional actions more specifically than any other agent with which we are acquainted. They also allay nervous irritations, in many diseases, more promptly than any other of our agents, and particularly when given in combination with opium. We are to be governed here, as in every other case, by symptoms then prevailing in the system in selecting & urging our remedies.

We have a variety of agents for allaying arterial actions & nervous irritations but we are to be governed in our selections by the symptoms and

*[Faint, illegible handwriting on lined paper, likely bleed-through from the reverse side.]*

*[Faint, illegible handwriting on the right edge of the page, likely bleed-through from the reverse side.]*

idiosyncrasy of the system in applying these agents and in  
urging them to the proper extent, beyond which they may  
prove detrimental.

We are always to keep in view the alimentary  
tube & in the application of all our remedies to endeavor  
to restore healthy action & government in those parts affected  
after which we employ a different class of agents in restoring  
the system to its former state of health. These are  
called tonics, from their agency in restoring a lost  
tone or strength to the suffering part, in the selection  
& employment of the remedies of this class, we must  
be governed, as usual, by the constitution & habits  
of the patient, the seat of the disease & other circum-  
stances, which it is unnecessary to detail.

With regard to the particulars which of the Materia  
Medica to which the preference should be given, no excep-  
tionable rule can be formed. Calomel is undoubtedly the  
best evacuant of bile which is accumulated in the  
stomach & duodenum in febrile cases. But the great  
facility with which some patients become salivated is

an object  
of this nature  
prohibited  
in fall of  
conclusion  
entitled to  
the teacher  
and that  
shall &  
either to  
that to p  
single d  
male co  
There  
the just  
creative  
institutions  
the full  
(1890) id

an abjection, in some instances, to the repeated exhibition of this article. In such cases Calomel may be advantageously exhibited in combination with some vegetable cathartic such as jallop or rhubarb: castor oil also proves an excellent combination with Calomel in cases where the stomach is irritated & we desire a prompt catharsis.

Of emetics the preference should be given to the tartate of antimony. The activity of this emetic is such that I would recommend the exhibition of it in small & repeated doses, until the effect is produced, rather than to prescribe a single dose & depend on that to produce the whole effect, & no more than might be desirable. Blood-letting should be premised in all cases in which there is inordinate arterial action.

These evacuations, viz: emetics, cathartics & diaphoretics when justifiable, should be continued as long as any indications remain of unhealthy nature in the stomach & intestines. If the evacuations assume a healthy appearance & the pulse continues high (a case that does not often occur) it may be reduced by the lancet. In these warm

*[Faint, illegible handwriting on lined paper]*

*[Faint, illegible handwriting on the right edge of the page]*



bathing is very useful, not only in promoting the cutaneous evacuations, but also in assisting the operation of the cathartics & other evacuent medicines applied to the intestinal canal. In the exhibition of tonics, care must be taken that the stomach be prepared for their reception by being clear of acid secretions and free from morbid irritability. In hot climates & in cases in which the system has been much enfeebled by evacuations it may be necessary to exhibit tonics & stimuli before the febrile action has entirely disappeared. Under other circumstances, however, we will accomplish our ultimate object more satisfactorily by waiting for a perfect remission of the active symptoms before we exhibit a tonic. — As to the selection of a tonic we must be governed much by circumstances. We have many articles belonging to this class, among which it would be difficult to choose, without due regard to the idiosyncrasy of the patient & other circumstances, which are always present in the eye of the practitioner. We also meet, almost daily, with cases in which the greatest

*[Faint, illegible handwriting, likely bleed-through from the reverse side of the page.]*

number  
to office  
I find  
not a  
also in a  
country  
the reg  
altering  
that by in  
back from  
It is the  
the ready  
influence  
anal.  
at  
to be p  
the minute  
half all  
do for  
usually

number of tonic medicines are rejected by the stomach, or affect the intestines in a pernicious manner.

I presume that I will be excused from entering into a detail of their several peculiarities & of the numerous cases in which they would be severally preferable. One remark, respecting their use appears to be too important to be neglected, viz: the tonics given for the purpose of restoring the system sometimes disappoint our expectations by inducing a debilitating diarrhoea (the peruvian bark particularly) or a constipation little less to be desired.

It is, therefore, necessary to watch their effects, and to be ready with the proper remedies for the several influences which they may exert on the alimentary canal.

It is not necessary to remind the learned Faculty to whose judgment these remarks are submitted, that the limits of a thesis are too narrow for a full exposition of all the knowledge that a student may acquire on so prolific a subject of investigation as fever especially where he has enjoyed the unrivalled ad-

Advantage  
by the All  
through the

advantages for the acquisition of science, that are offered  
by the University of Pennsylvania. - What is here  
thrown together is respectfully submitted.

Amos Maule.  
Georgia

